

CORING CONCRETE

**\*\*From Johnson BHO 1448(29)**

- xx. DESCRIPTION. This work shall consist of coring into an existing substructure unit and mortaring new utility encasement(s) placed in the substructure unit at the locations indicated in the Plans and as directed by the Engineer.
- xx. MATERIALS. Mortar shall meet the requirements of Subsection 707.03.
- xx. CONSTRUCTION REQUIREMENTS. The existing substructure unit shall be cored to allow the new utility encasement to extend through the substructure unit. The new utility encasement(s) shall be mortared in place, filling any voids between the encasement(s) and the substructure unit.
- xx. METHOD OF MEASUREMENT. The quantity of Special Provision (Coring Concrete) to be measured for payment will be the number of cubic meters (cubic yards) of existing concrete cored in the complete and accepted work.
- xx. BASIS OF PAYMENT. The accepted quantity of Special Provision (Coring Concrete) will be paid for at the Contract unit price per cubic meter (cubic yard). Payment will be full compensation for coring the existing substructure unit, for mortaring new encasements in place, and for furnishing all labor, materials, tools, equipment, and incidentals necessary to complete the work.

New encasement(s) will be paid under the appropriate Contract item(s).

Payment will be made under:

<u>Pay Item</u>	<u>Pay Unit</u>
900.608 Special Provision (Coring Concrete)	Cubic Meter (Cubic Yard)