

REFURBISH EXISTING BEARING DEVICE ASSEMBLY

**\*\*From Berkshire BHF 0283(9)S**

- xx. DESCRIPTION. This work shall consist of refurbishing existing bearing device assemblies at the locations shown in the Plans and as directed by the Engineer.

The work under this Section shall be performed in accordance with these provisions, the Plans, and Sections 506 and 531 of the Standard Specifications.

- xx. CONSTRUCTION REQUIREMENTS. The Contractor shall retain, clean, metalize, and grease all existing bearing devices.

Metalizing shall be performed in accordance with Subsections 506.14(b), 506.15(b), and 531.04(b). The bearings shall be coated with an approved sealant in accordance with Subsection 531.04(b).

Grease coating shall be applied in accordance with Subsection 513.06(d).

- xx. METHOD OF MEASUREMENT. The quantity of Special Provision (Refurbish Existing Bearing Device Assembly) to be measured for payment will be the number of existing bearings refurbished in the complete and accepted work.

- xx. BASIS OF PAYMENT. The accepted quantity of Special Provision (Refurbish Existing Bearing Device Assembly) will be paid for at the Contract unit price per each. Payment will be full compensation for cleaning, metalizing, and greasing the existing bearing device assembly, and for furnishing all labor, tools, equipment, and incidentals necessary to complete the work.

Payment will be made under:

<u>Pay Item</u>	<u>Pay Unit</u>
900.620 Special Provision (Refurbish Existing Bearing Device Assembly)	Each